



## Cholinergic interneurons control local circuit activity and cocaine conditioning.

Journal: Science

Publication Year: 2010

Authors: Ilana B Witten, Shih-Chun Lin, Matthew Brodsky, Rohit Prakash, Ilka Diester, Polina

Anikeeva, Viviana Gradinaru, Charu Ramakrishnan, Karl Deisseroth

PubMed link: 21164015

Funding Grants: Bioengineering technology for fast optical control of differentiation and function in stem cells and

stem cell progeny

**Public Summary:** 

## **Scientific Abstract:**

Cholinergic neurons are widespread, and pharmacological modulation of acetylcholine receptors affects numerous brain processes, but such modulation entails side effects due to limitations in specificity for receptor type and target cell. As a result, causal roles of cholinergic neurons in circuits have been unclear. We integrated optogenetics, freely moving mammalian behavior, in vivo electrophysiology, and slice physiology to probe the cholinergic interneurons of the nucleus accumbens by direct excitation or inhibition. Despite representing less than 1% of local neurons, these cholinergic cells have dominant control roles, exerting powerful modulation of circuit activity. Furthermore, these neurons could be activated by cocaine, and silencing this drug-induced activity during cocaine exposure (despite the fact that the manipulation of the cholinergic interneurons was not aversive by itself) blocked cocaine conditioning in freely moving mammals.

 $\textbf{Source URL:} \ https://www.cirm.ca.gov/about-cirm/publications/cholinergic-interneurons-control-local-circuit-activity-and-cocained and the state of the stat$